



Acoustic Pods (Standard series)


Product Configuration Description

AUSUN FURNITURE PTY LTD

ADD: 6/1A Southpark Close, Keysborough, vic 3173

TEL: 1300 580 888

EMAIL: BEN@COWORKINGSOLUTIONS.COM.AU



TB-S



Configuration table

External dimensions: W1080 mm D1080 mm H2350mm

Internal dimensions: W 930 mm D986 mm H2050mm

Internal structure: steel frame

External decoration materials: Akzo Nobel powder-coated steel plate (RAUL color card)

Inner wall filling: polyurethane sound insulation material

Interior materials: Burgeree sound-absorbing board, Milliken carpet

Hinge: Obvious hinge

Door leaf material: hollow glazed tempered glass (5mm+A27mm+5mm)

Closing method: hidden door closer (automatic closing)

Light on: microwave radar control, light on when people are present, Turn off automatically when some leave

Ventilation system: second-generation fresh air ventilation system

Furniture configuration: liftable bar chair, Formica fireproof board composite imported marine board wall table (fixed or folding bracket)

Power system: 100-230V socket panel + touch screen speed dimming

Sound insulation and noise reduction: 33 dB (SGS or Institute of Acoustics, Chinese Academy of Sciences test report)

Mobility: Bottom liftable universal wheels x 4 movable



sensor




Burgeree sound-absorbing board



Solid wood composite wall table



Liftable universal wheel



Top fresh air



Built-in light bar




LED touch screen




Hidden side handle

Material selection:

Exterior choice




Internal sound absorbing panel




Chair color options:



Table top:



Carpet selection:



TB-S Pro



Configuration table

External dimensions: W1080 mm D1080 mm H2350mm

Internal dimensions: W 930 mm D986 mm H2050mm

Internal structure: steel frame

External decoration materials: Akzo Nobel powder-coated steel plate (RAUL color card)

Inner wall filling: polyurethane sound insulation material

Interior materials: Burgeree sound-absorbing board, Milliken carpet

Hinge: Hidden hinge

Door leaf material: hollow glazed tempered glass (5mm+A27mm+5mm)

Closing method: hidden door closer (automatic closing)

Light on: microwave radar control, light on when people are present, Turn off automatically when some leave

Ventilation system: second-generation fresh air ventilation system

Furniture configuration: liftable bar chair, Formica fireproof board composite imported marine board wall table (lifting bracket)

Power system: 100-230V socket panel + touch screen speed dimming

Sound insulation and noise reduction: 33 dB (SGS or Institute of Acoustics, Chinese Academy of Sciences test report)

Mobility: Bottom liftable universal wheels x 4 movable



sensor



Burgeree sound-absorbing board



Solid wood composite wall table electrical dajustable



Liftable universal wheel



Top fresh air



Built-in light bar




LED touch screen



Hidden side handle

Material selection:

Exterior choice

													
RAL 9010 纯白色	RAL 7044 深铬灰	RAL 7004 浅灰色	RAL 7016 煤灰色	RAL 9005 墨黑色	RAL 6019 浅绿色	RAL 2300 苹果绿	RAL 5024 浅蓝色	RAL 5015 天蓝色	RAL 5021 布莱梅兰	RAL 1023 交通黄	RAL 2008 浅红橙	RAL 3017 玫红色	RAL 3000 火焰红

Internal sound absorbing panel

							
BZ-07	BZ-30	BZ-36	BZ-13	BZ-04	BZ-12	BZ-32	BZ-35
							
BZ-11	BZ-21	BZ-37	BZ-03	BZ-06	BZ-44	BZ-31	BZ-34
							
BZ-47	BZ-14	BZ-29	BZ-09	BZ-28	BZ-41	BZ-38	BZ-39
							
BZ-25	BZ-01	BZ-19	BZ-16	BZ-02	BZ-08	BZ-24	BZ-48
							
BZ-43	BZ-51	BZ-10	BZ-17	BZ-05	BZ-46	BZ-49	BZ-50

Chair color options:




		
vico-008	vico-012	vico-018
		
vico-022	vico-024	vico-026
		
vico-041	vico-056	

Table top:

		
6372NT 洗白桦木	8844D8 老桫木	5904NT 天然樱桃木
		
0949G 雪白	7846NM 碧湖蓝	

Carpet selection:



TB-W



Configuration table

External dimensions: W1500 mm D1320 mm H2350mm

Internal dimensions: W1350 mm D1200 mm H2050mm

Internal structure: steel frame

External decoration materials: Akzo Nobel powder-coated steel plate (RAUL color card)

Inner wall filling: polyurethane sound insulation material

Interior materials: Burgeree sound-absorbing board, Milliken carpet

Door leaf material: laminated sound insulation tempered glass (5mm+1.13mm+5mm)

Closing method: hidden door closer (automatic closing)

Light on: microwave radar control, light on when people are present, Turn off automatically when some leave

Ventilation system: second-generation fresh air ventilation system

Furniture configuration: liftable bar chair, Formica fireproof board composite imported marine board wall table (folding or fixed bracket)

Power system: 100-230V socket panel + touch screen speed and dimming

Sound insulation and noise reduction: 28-31 dB (SGS or Institute of Acoustics, Chinese Academy of Sciences test report)

Mobility: Bottom liftable universal wheels x 4 movable



sensor



LED touch screen




Solid wood
composite wall
table



Liftable universal
wheel



Top fresh
air



Built-in round
light




Separate lock
door handle



Burgeree sound-
absorbing board

Material selection:

Exterior choice

													
RAL 9010 纯白色	RAL 7044 深铬灰	RAL 7004 浅灰色	RAL 7016 煤灰色	RAL 9005 墨黑色	RAL 6019 浅绿色	RAL 2300 苹果绿	RAL 5024 浅蓝色	RAL 5015 天蓝色	RAL 5021 布莱梅兰	RAL 1023 交通黄	RAL 2008 浅红橙	RAL 3017 玫红色	RAL 3000 火焰红

Internal sound absorbing panel

							
BZ-07	BZ-30	BZ-36	BZ-13	BZ-04	BZ-12	BZ-32	BZ-35
							
BZ-11	BZ-21	BZ-37	BZ-03	BZ-06	BZ-44	BZ-31	BZ-34
							
BZ-47	BZ-14	BZ-29	BZ-09	BZ-28	BZ-41	BZ-38	BZ-39
							
BZ-25	BZ-01	BZ-19	BZ-16	BZ-02	BZ-08	BZ-24	BZ-48
							
BZ-43	BZ-51	BZ-10	BZ-17	BZ-05	BZ-46	BZ-49	BZ-50

Chair color options:






		
vico-008	vico-012	vico-018
		
vico-022	vico-024	vico-026
		
vico-041	vico-056	

Table top:

		
6372NT 洗白桦木	8844D8 老桫木	5904NT 天然樱桃木
		
0949G 雪白	7846NM 碧湖蓝	

Carpet selection:



TB-M



Configuration table

External dimensions: W2200 mm D1320 mm H2350mm

Internal dimensions: W2050 mm D1200 mm H2050mm

Internal structure: steel frame

External decoration materials: Akzo Nobel powder-coated steel plate (RAUL color card)

Inner wall filling: polyurethane sound insulation material

Interior materials: Burgeree sound-absorbing board, Milliken carpet

Door leaf material: laminated sound insulation tempered glass (5mm+1.13mm+5mm)

Closing method: hidden door closer (automatic closing)

Light on: microwave radar control, light on when people are present, Turn off automatically when some leave

Ventilation system: second-generation fresh air ventilation system

Furniture configuration: liftable bar chair, Formica fireproof board composite imported marine board wall table (fixed bracket)

Power system: 100-230V socket panel + touch screen speed and dimming

Sound insulation and noise reduction: 28-30 dB (SGS or Institute of Acoustics, Chinese Academy of Sciences test report)

Mobility: Bottom liftable universal wheels x 4 movable



sensor



Separate lock door handle




Burgeree sound-absorbing board



Liftable universal wheel



Top fresh air



Built-in round light




LED touch screen

Solid wood composite wall table




Material selection:

Exterior choice



Internal sound absorbing panel




Sofa color options:



Table top:



Carpet selection:



TB-ML



Configuration table

External dimensions: W2400 mm D2400 mm H2350mm

Internal dimensions: W2250 mm D2300 mm H2050mm

Internal structure: steel frame

External decoration materials: Akzo Nobel powder-coated steel plate (RAUL color card)

Inner wall filling: polyurethane sound insulation material

Interior materials: Burgeree sound-absorbing board, Milliken carpet

Door leaf material: laminated sound insulation tempered glass (5mm+1.13mm+5mm)

Closing method: hidden door closer (automatic closing)

Light on: microwave radar control, light on when people are present, Turn off automatically when some leave

Ventilation system: second-generation fresh air ventilation system

Furniture configuration: liftable bar chair, Formica fireproof board composite imported marine board wall table (fixed bracket)

Power system: 100-230V socket panel + touch screen speed and dimming

Sound insulation and noise reduction: 28-30 dB (SGS or Institute of Acoustics, Chinese Academy of Sciences test report)

Mobility: Bottom liftable universal wheels x 4 movable



sensor




Separate lock
door handle



Burgeree sound-
absorbing board



Liftable universal
wheel




Top fresh
air



Built-in light bar




LED touch
screen



Solid wood
composite wall
table

Material selection:

Exterior choice



RAL 9010
纯白色



RAL 7044
深铬灰



RAL 7004
浅灰色



RAL 7016
煤灰色



RAL 9005
墨黑色



RAL 6019
浅绿色



RAL 2300
苹果绿



RAL 5024
浅蓝色



RAL 5015
天蓝色



RAL 5021
布莱梅兰



RAL 1023
交通黄



RAL 2008
浅红橙



RAL 3017
玫红色



RAL 3000
火焰红

Internal sound absorbing panel

							
BZ-07	BZ-30	BZ-36	BZ-13	BZ-04	BZ-12	BZ-32	BZ-35
							
BZ-11	BZ-21	BZ-37	BZ-03	BZ-06	BZ-44	BZ-31	BZ-34
							
BZ-47	BZ-14	BZ-29	BZ-09	BZ-28	BZ-41	BZ-38	BZ-39
							
BZ-25	BZ-01	BZ-19	BZ-16	BZ-02	BZ-08	BZ-24	BZ-48
							
BZ-43	BZ-51	BZ-10	BZ-17	BZ-05	BZ-46	BZ-49	BZ-50

Sofa color options:




Table top:



Carpet selection:



TB- ML 3meter



Configuration table

External dimensions: W2400 mm D3000 mm H2350mm

Internal dimensions: W2250 mm D2900 mm H2050mm

Internal structure: steel frame

External decoration materials: Akzo Nobel powder-coated steel plate (RAUL color card)

Inner wall filling: polyurethane sound insulation material

Interior materials: Burgeree sound-absorbing board, Milliken carpet

Door leaf material: laminated sound insulation tempered glass (5mm+1.13mm+5mm)

Closing method: hidden door closer (automatic closing)

Light on: microwave radar control, light on when people are present, Turn off automatically when some leave

Ventilation system: second-generation fresh air ventilation system

Furniture configuration: liftable bar chair, Formica fireproof board composite imported marine board wall table (fixed bracket)

Power system: 100-230V socket panel + touch screen speed and dimming

Sound insulation and noise reduction: 28-30 dB (SGS or Institute of Acoustics, Chinese Academy of Sciences test report)

Mobility: Bottom liftable universal wheels x 4 movable



Hidden radar sensor



Separate lock door handle




Burgeree sound-absorbing board



Liftable universal wheel




Top fresh air



Built-in light bar





LED touch screen



Solid wood composite wall table

Material selection:

Exterior choice

													
RAL 9010 纯白色	RAL 7044 深铬灰	RAL 7004 浅灰色	RAL 7016 煤灰色	RAL 9005 墨黑色	RAL 6019 浅绿色	RAL 2300 苹果绿	RAL 5024 浅蓝色	RAL 5015 天蓝色	RAL 5021 布莱梅兰	RAL 1023 交通黄	RAL 2008 浅红橙	RAL 3017 玫红色	RAL 3000 火焰红

Internal sound absorbing panel

							
BZ-07	BZ-30	BZ-36	BZ-13	BZ-04	BZ-12	BZ-32	BZ-35
							
BZ-11	BZ-21	BZ-37	BZ-03	BZ-06	BZ-44	BZ-31	BZ-34
							
BZ-47	BZ-14	BZ-29	BZ-09	BZ-28	BZ-41	BZ-38	BZ-39
							
BZ-25	BZ-01	BZ-19	BZ-16	BZ-02	BZ-08	BZ-24	BZ-48
							
BZ-43	BZ-51	BZ-10	BZ-17	BZ-05	BZ-46	BZ-49	BZ-50

Sofa color options:



Table top:



Carpet selection:

